

PYQSide

NEET MOLECULAR BASIS OF INHERITANCE — GENETIC CODE AND TRNA — PYQS

Max. Marks: 92

Questions: 23

Section A (MCQ)

Q.1 Who proposed that the genetic code for amino acids should be made up of three nucleotides?

[NEET (UG) 2025]

- (1) Jacques Monod (2) Franklin Stahl
(3) George Gamow (4) Francis Crick

Scan or tap for the full solution



Q.2 Against the codon 5' UAC 3', what would be the sequence of anticodon on tRNA?

[NEET (UG) 2022 (Phase 2)]

- (1) 5' GUA 3' (2) 5' AUG 3'
(3) 5' ATG 3' (4) 5' GTA 3'

Scan or tap for the full solution



Q.3 **Statement-I:** The codon 'AUG' codes for methionine and phenylalanine.
Statement-II: 'AAA' and 'AAG' both codons code for the amino acid lysine.

In the light of the above statements, choose the correct answer from the options given below.

[NEET (UG) 2021]

- (1) Statement-I is incorrect but Statement-II is true
(2) Both Statement-I and Statement-II are true
(3) Both Statement-I and Statement-II are false
(4) Statement-I is correct but Statement-II is false

Scan or tap for the full solution



Q.4 Under which of the following conditions will there be no change in the reading frame of following mRNA?

5' AACAGCGGUGCUAUU 3' [NEET (UG) 2019]

- (1) Insertion of A and G at 4th and 5th positions respectively
(2) Deletion of GGU from 7th, 8th and 9th positions
(3) Insertion of G at 5th position
(4) Deletion of G from 5th position

Scan or tap for the full solution



Q.5 Which of the following features of genetic code does allow bacteria to produce human insulin by recombinant DNA technology? [NEET (UG) 2019]

- (1) Genetic code is nearly universal
(2) Genetic code is specific
(3) Genetic code is not ambiguous
(4) Genetic code is redundant

Scan or tap for the full solution



Q.6 If there are 999 bases in an RNA that codes for a protein with 333 amino acids, and the base at position 901 is deleted such that the length of the RNA becomes 998 bases, how many codons will be altered? [NEET 2017]

- (1) 1 (2) 11 (3) 333 (4) 33

Scan or tap for the full solution



Q.7 Which one of the following is the starter codon?

[NEET 2016 (Phase 1)]

- (1) AUG (2) UAG (3) UAA (4) UGA

Scan or tap for the full solution



Q.8 Which of the following is not a property of the genetic code? [NEET 2013 (Karnataka)]

- (1) Ambiguous (2) Universal
(3) Degeneracy (4) Non-overlapping

Scan or tap for the full solution



Q.9 The one aspect which is not a salient feature of genetic code, is its being – [AIPMT 2010 (Prelims)]

- (1) Specific (2) Degenerate
(3) Ambiguous (4) Universal

Scan or tap for the full solution



Q.10 Whose experiments cracked the DNA and discovered unequivocally that a genetic code is a "triplet"? [AIPMT 2009]

- (1) Nirenberg and Matthaei
- (2) Morgan and Sturtevant
- (3) Hershey and Chase
- (4) Beadle and Tatum

Scan or tap for the full solution



Q.11 What is not true for genetic code? [AIPMT 2009]

- (1) It is nearly universal
- (2) A codon in mRNA is read in a noncontiguous fashion
- (3) It is degenerate
- (4) It is unambiguous

Scan or tap for the full solution



Q.12 Which one of the following pairs of codons is correctly matched with their function or the signal for the particular amino acid? [AIPMT 2008]

- (1) UUA, UCA — Leucine
- (2) AUG, ACG — Start/Methionine
- (3) UAG, UGA — Stop
- (4) GUU, GCU — Alanine

Scan or tap for the full solution



Q.13 One gene-one enzyme hypothesis was postulated by - [AIPMT 2006]

- (1) A. Garrod
- (2) Hershey and Chase
- (3) Beadle and Tatum
- (4) R. Franklin

Scan or tap for the full solution



Q.14 Production of a human protein in bacteria by genetic engineering is possible because [AIPMT 2005]

- (1) The human chromosome can replicate in bacterial cell
- (2) The genetic code is universal
- (3) Bacterial cell can carry out the RNA splicing reactions
- (4) The mechanism of gene regulation is identical in humans and bacteria

Scan or tap for the full solution



Q.15 Which form of RNA has a structure resembling clover leaf? [AIPMT 2004]

- (1) r-RNA
- (2) m-RNA
- (3) t-RNA
- (4) hn-RNA

Scan or tap for the full solution



Q.16 What would happen if in a gene encoding a polypeptide of 50 amino acids, 25th codon (UAU) is mutated to UAA? [AIPMT 2003]

- (1) A polypeptide of 49 amino acids will be formed
- (2) A polypeptide of 25 amino acids will be formed
- (3) Two polypeptides of 24 and 25 amino acids will be formed
- (4) A polypeptide of 24 amino acids will be formed

Scan or tap for the full solution



Q.17 Which one of the following triplet codes, is correctly matched with its specificity for an amino acid in protein synthesis or as 'start' or 'stop' codon? [AIPMT 2003]

- (1) UUU – Stop
- (2) UAC – Tyrosine
- (3) UGU – Leucine
- (4) UCG – Start

Scan or tap for the full solution



Q.18 Degeneracy of a genetic code is attributed to the: [AIPMT 2003]

- (1) Second member of a codon
- (2) Third member of a codon
- (3) First member of a codon
- (4) Entire codon

Scan or tap for the full solution



Q.19 In the genetic code dictionary, how many codons are used to code for all the 20 amino acids: [AIPMT 2003]

- (1) 64
- (2) 20
- (3) 60
- (4) 61

Scan or tap for the full solution



Q.20 Out of 64 codons, 61 codons code for 20 types of amino acids; it is called : - [AIPMT 2002]

- (1) Wobbling of codon
- (2) Universality of codons
- (3) Overlapping of gene
- (4) Degeneracy of genetic code

Scan or tap for the full solution



Q.21 Which of the following is initiation codon? [AIPMT 2000]

- (1) AUC
- (2) CCU
- (3) UAG
- (4) AUG

Scan or tap for the full solution



Q.22 Anticodon occurs in: [AIPMT 2000]

- (1) DNA
- (2) r-RNA
- (3) t-RNA
- (4) m-RNA

Scan or tap for the full solution



Q.23 In three dimensional view the molecule of t-RNA is:

[AIPMT 2000]

- (1) E-shaped (2) L-shaped
(3) S-shaped (4) Y-shaped

Scan or tap for the
full solution



ANSWER KEY

Ques.	1	2	3	4	5	6	7	8	9	10	11
Ans.	3	1	1	2	1	4	1	1	3	1	2
Ques.	12	13	14	15	16	17	18	19	20	21	22
Ans.	3	3	2	3	4	2	2	4	4	4	3
Ques.	23										
Ans.	2										