

PYQSide

NEET MOTION IN A STRAIGHT LINE — MOTION UNDER GRAVITY (FREE FALL) — PYQS

Max. Marks: 56

Questions: 14

Section A (MCQ)

Q.1 When a ruler falls vertically, 5 different persons catch it with different reaction times.

($g = 9.8 \text{ ms}^{-2}$)

What is the correct order of the distance travelled by the ruler for each person ?




- A. Person A has reaction time of 0.20 s
- B. Person B has reaction time of 0.22 s
- C. Person C has reaction time of 0.18 s
- D. Person D has reaction time of 0.19 s
- E. Person E has reaction time of 0.21 s

[NEET (UG) 2026]

- (1) $B > E > A > C > D$ (2) $C > D > A > E > B$
 (3) $C > D > A > B > E$ (4) $B > E > A > D > C$

Scan or tap for the full solution 

Q.2 The following plots show variation of velocity (v) with time (t), of a ball thrown vertically upward, and falling back. Which of the following plots is/are correct? [NEET (UG) 2026]



- (1) B only (2) A and E only
 (3) C only (4) D only

Scan or tap for the full solution 

Q.3 A horizontal bridge is built across a river. A student standing on the bridge throws a small ball vertically upwards with a velocity 4 m s^{-1} . The ball strikes the water surface after 4 s. The height of bridge above water surface is (Take $g = 10 \text{ m s}^{-2}$)

[NEET (UG) 2023]

- (1) 60 m (2) 64 m (3) 68 m (4) 56 m

Scan or tap for the full solution 

Q.4 The ratio of the distances travelled by a freely falling body in the 1st, 2nd, 3rd and 4th second

[NEET (UG) 2022]

- (1) 1:2:3:4 (2) 1:4:9:16 (3) 1:3:5:7 (4) 1:1:1:1

Scan or tap for the full solution 

Q.5 A ball is thrown vertically downward with a velocity of 20 m/s from the top of a tower. It hits the ground after some time with a velocity of 80 m/s. The height of the tower is : ($g = 10 \text{ m/s}^2$)

[NEET (UG) 2020]

- (1) 340 m (2) 320 m (3) 300 m (4) 360 m

Scan or tap for the full solution 

Q.6 A stone falls freely under gravity. It covers distances h_1 , h_2 and h_3 in the first 5 seconds, the next 5 seconds and the next 5 seconds respectively. The relation between h_1 , h_2 and h_3 is [NEET 2013]

- (1) $h_2 = 3h_1$ and $h_3 = 3h_2$ (2) $h_1 = h_2 = h_3$
 (3) $h_1 = 2h_2 = 3h_3$ (4) $h_1 = \frac{h_2}{3} = \frac{h_3}{5}$

Scan or tap for the full solution 

Q.7 A stone is dropped from a height h . It hits the ground with a certain momentum P . If the same stone is dropped from a height 100% more than the previous height, the momentum when it hits the ground will change by [AIPMT 2012 (Mains)]

- (1) 68% (2) 41% (3) 200% (4) 100%

Scan or tap for the full solution 

Q.8 A boy standing at the top of a tower of 20 m height drops a stone. Assuming $g = 10 \text{ m s}^{-2}$, the velocity with which it hits the ground is

[AIPMT 2011 (Prelims)]

- (1) 10.0 m/s (2) 20.0 m/s (3) 40.0 m/s (4) 5.0 m/s

Scan or tap for the full solution 

- Q.9** A ball is dropped from a high rise platform at $t = 0$ starting from rest. After 6 seconds another ball is thrown downwards from the same platform with a speed v . The two balls meet at $t = 18$ s. What is the value of v ?

(Take $g = 10 \text{ m/s}^2$)

[AIPMT 2010 (Prelims)]

- (1) 75 m/s (2) 55 m/s (3) 40 m/s (4) 60 m/s

Scan or tap for the
full solution



- Q.10** Two bodies A (of mass 1 kg) and B (of mass 3 kg) are dropped from heights of 16 m and 25 m, respectively. The ratio of the time taken by them to reach the ground is

[AIPMT 2006]

- (1) 4/5 (2) 5/4 (3) 12/5 (4) 5/12

Scan or tap for the
full solution



- Q.11** A ball is thrown vertically upward. It has a speed of 10 m/s when it has reached one half of its maximum height. How high does the ball rise?

(Take $g = 10 \text{ m/s}^2$.)

[AIPMT 2005]

- (1) 10 m (2) 5 m (3) 15 m (4) 20 m

Scan or tap for the
full solution



- Q.12** A man throws balls with the same speed vertically upwards one after the other at an interval of 2 seconds. What should be the speed of the throw so that more than two balls are in the sky at any time ?

(Given $g = 9.8 \text{ m/s}^2$)

[AIPMT 2003]

- (1) more than 19.6 m/s
(2) at least 9.8 m/s
(3) any speed less than 19.6 m/s
(4) only with speed 19.6 m/s.

Scan or tap for the
full solution



- Q.13** If a ball is thrown vertically upwards with speed u , the distance covered during the last t seconds of its ascent is

[AIPMT 2003]

- (1) ut (2) $\frac{1}{2}gt^2$
(3) $ut - \frac{1}{2}gt^2$ (4) $(u + gt)t$.

Scan or tap for the
full solution



- Q.14** A particle is thrown vertically upward. Its velocity at half of the height is 10 m/s, then the maximum height attained by it is ($g = 10 \text{ m/s}^2$)

[AIPMT 2001]

- (1) 8 m (2) 20 m (3) 10 m (4) 16 m

Scan or tap for the
full solution



ANSWER KEY

Ques.	1	2	3	4	5	6	7	8	9	10	11
Ans.	4	3	2	3	3	4	2	2	1	1	1
Ques.	12	13	14								
Ans.	1	2	3								